

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/327680251>

# Pollution In Nigerian Auto-Mechanic Villages: A Review

Article · July 2018

DOI: 10.9790/2402-1207014354

---

CITATIONS

0

3 authors, including:



**Nkwoada Amarachi Udoka**

Federal University of Technology Owerri

22 PUBLICATIONS 4 CITATIONS

[SEE PROFILE](#)



**Chijioke Micheal Amakom**

Federal University of Technology Owerri

17 PUBLICATIONS 48 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Environment and minerals [View project](#)



RADIATION LEVELS AROUND SOME X-RAY DIAGNOSTIC CENTRES IN OWERRI, IMO STATE, NIGERIA [View project](#)

## **Pollution In Nigerian Auto-Mechanic Villages: A Review**

Nkwoada A.U<sup>1</sup>alisa C.O<sup>1</sup>, Amakom C.M<sup>2</sup>

<sup>1</sup>Department of Chemistry, PMB 1526, Federal University of Technology Owerri.

<sup>2</sup>Department of Physics, PMB 1526, Federal University of Technology Owerri

Corresponding Author: Nkwoada A.Ualisa C.O

---

**Abstract:** *The increasing number of malfunctioning automobiles with subsequent increase in emission levels and waste handling is an environmental concern in Nigeria. The spills from lubricants, gasoline, diesel and by-products of used and spent engine oil constitute the major pollutants in auto mechanic villages in Nigeria. Its environmental pollution has been predominant through soil and groundwater contamination and also poses a major anthropogenic threat. The studied heavy metals on contaminated soil showed that studies had focused on common metals of Cu, Cd, Pb and Zn in the east and west regions, while trace metals were studied in the south and radioactive elements in the north. Statistical evaluation showed high occurrences of Cu, Cd, Pb and Zn in the four geo-political zones of Nigeria. The detrimental effects of auto-mechanic village activities were on humans and also disrupted growth and flowering of arable plants. The remediation application showed that soil type and contaminant characteristics play a major role in determining the type of remediation procedure to be applied. Hence, Nigeria should provide standard repairs and services to automobiles in-line with emerging technology and best environmental practices.*

**Keywords:** *Auto-mechanic, Pollution, contamination, automobiles, heavy metals*

---

Date of Submission: 30-06-2018

Date of acceptance: 17-07-2018

---

### **I. Introduction**

The damages arising from heavy metal pollution in Nigerian auto mechanic villages have induced large scale environmental degradation [1]. The predicted climatic change induced by such anthropogenic activity was projected to be first experienced in Africa. Thus heavily polluted nations like Nigeria, should take adequate measures to mitigate this change arising from anthropogenic activities [1, 2]. Our environment is composed of several layers of the atmosphere that are continually active, hence, pollutant gases emitted from point sources like automobile exhaust, forest fires and power plants would eventually get to other regions by dispersion [3]. The drive behind this anthropogenic pollution includes urbanisation, over population and technological improvements; however, the increasing number of automobiles and associated wastes, with subsequent increase in emission levels and waste handling is a serious environmental concern in Nigeria [2,3].

The wastes arising from automobiles are improperly handled in Nigeria by the system of vehicular repair locations known as "Auto Mechanic Villages" [4]. The auto-mechanic villages (AMVs) are frequently cited in shanty neighbourhoods of cities and adjoining towns. The areas are usually characterised by poverty, overpopulation, and low level of education. It has been reported that the literacy level contributes to pollution and environmental deterioration in these areas due to information and knowledge gap [5]. Additionally, the spills from lubricants, gasoline, diesel and by-products of used and spent engine oil constitute the major pollutants in AMV [5, 6]. The environmental pollution scenario in Nigeria is compounded by the frequency of oil spills. For e.g. in 2010, only about 3203 cases were reported and also about 8 million cubic feet of natural gas are flared every day in the Niger delta region [6]. Again, about 50, 000 acres of mangrove vanished between 1986 and 2003 within Nigeria's Niger-Delta region [6]. These environmental incidents are rarely reported in other oil producing nations. Also Nigeria seem sluggish over matters of climatic change and its global warming threat [6, 7]. For instance, the 1988 toxic KOKO waste dump should have triggered mitigation measures and legislation on land use and waste handling, however, the post-practice of land use and waste handling afterwards had been unpromising [8,9,10] and AMVs are notorious land polluters. Moreover, the high cost of renting a workshop in towns and cities had in its measure contributed to auto mechanic workshops being sighted in existing shanties and slums [10,11].

Further studies have revealed that AMVs are small scale industries usually existing in populated areas where national electricity grid supply is marginal [12,13, 14]. As small scale industries, AMVs exist as informal enterprise to secure regular wages for the practitioners [4] and due to such, pollution is prevalent in AMVs [16], child labour have been recorded in some countries [17] and AMV workers are also at high risk of HIV/AIDS infection [18]. Thus the scenario is made worse by the increase in the importation of malfunctioning automobiles (Vehicles older than 10 years) in Nigeria. These have also led to corresponding increase in number

of AMVs. The malfunctioning vehicles often experience frequent automobile repairs, discard and abandoning of vehicular parts, which leads to increased soil contamination, groundwater pollution through leached heavy metals, release of waste oil and greases [4, 16, 19, 20]. Hence, there is the need to review the state of soil and water pollution levels in AMVs based on heavy metal concentrations levels and to proffer solutions.

## **II. Soil And Water pollution**

The Effluents discharged from anthropogenic activities often contain toxic heavy metals that cause adverse effects in the environment [21]. They heavy metals when released, may bio-accumulate in plants or become toxic to aquatic organism [22]. The micro-scale industrial activities of AMVs have thus been reported to have induced soil and groundwater contaminations [10,22]. Subsequently, when these contaminants are released, they affect water habitat, natural soil flora and fauna, and may pose as a potential disease for humans if ingested [23, 24,25]. A study in Nigeria investigated the quality of irrigated water in clustered AMVs and observed that the ongoing activities of AMVs have affected surrounding ground water quality [26]. Another study of water quality in Minna, Nigeria, confirmed that effluents from AMVs had contaminated their local water quality [27]. Similarly, the physicochemical assessment of Ugborikoko/Okere stream in Nigeria also suggested that artisan activities of AMVs were responsible for the recorded pollution levels [28]. Furthermore, assessment of River Owo, in Nigeria showed high levels of heavy metals linked to the surrounding AMV industrial areas [29]. Whereas, Otamiri River in Owerri was assessed to be unfit for consumption due to activities of AMVs, landfill and mining activities [30]. Hence there is regional peculiarity of AMVs and its associated contamination sources and pollution threats due to topography, soil types, population and urbanization, awareness and waste disposal practices.

### **2.1 POLLUTION IN GEOPOLITICAL ZONES OF NIGERIA**

A modelled study on the flow pattern of groundwater and particle migration around two AMVs in Eastern region showed that the pattern of stream divergent flows may encourage bioaccumulation [31]. Again high levels of hydrocarbon have been reported in the AMVs in Ebonyi in the Eastern region and were found to encourage growth of indigenous microbial degraders [32]. The determination of heavy metals (Pb, Cu, Ni and Cr) in soils of AMVs around Onitsha Metropolis in Eastern Nigerian also showed that the toxic levels of pollutants could induce health challenges [33].

Such high levels of heavy metals have also been found in Ile-Ife of western Nigeria as reported by a study on bioaccumulation of heavy metals by maize in aged AMVs [10, 23]. These bioaccumulations of heavy metals (Cr, Cd, Mn, Cu, Ni, Zn) in phytoplants have also been observed in Akoko Land in the West, while in Ibadan a populated large city in the west, the AMVs were confirmed to have induced adverse effects on both soil and water [36]. In Oshodi Lagos in the west, the levels of heavy metals were shown to be inhibiting microbial respiration in the soil [37]. Hence correlating with previously published articles on effects of heavy metals from AMVs to inhibit microbial growth and eventually contribute to deplete soil flora and soil fauna [10, 23, 34].

The North region had not been different in pollution threats from AMVs. In Makurdi, water pollution around AMVs was high and associated with abandoned metal scraps in AMVs [38]. In Kaduna, (populous and commercial city) in the North, soil pollution was detected around AMVs [39]. Albeit, the lower concentration levels of heavy metals determined around AMV dumpsites in Makurdi [40] may be uncharacteristic of the area due to soil type or some other unreported factors. However, AMVs were generally identified and reported as pollution prone areas in the northern part of Nigeria.

The southern part of Nigeria is known for oil spillage and pipeline vandalism. However, there is a growing concern over activities of AMVs to further proliferate the problem. In Obiaruku Delta state, physicochemical properties of some selected AMV study, detected and confirmed contamination of the soil in such areas [41]. In Uyo, occupational health assessment showed that the trace metal level poses higher occupational risk quotient for AMV workers [42]. The City of Benin had also experienced large scale pollution from disposal of used engine oil in soils around AMVs [42].

Finally, AMV contamination and pollution threats are also a problem in other African nations. For e.g. in Kumasi Ghana, assessment of Ashanti region showed that soil pollution around AMVs in the region [44] has reached toxic levels. Similarly, Tamale metropolis in Ghana also recorded high concentration of heavy metals in soils around AMVs [45] with common cases of leaching of heavy metals into soil and nearby streams [46]. In AMVs around Shashemane Addis Ababa, Ethiopia, high levels of heavy metals were confirmed with potential detrimental effects to the environment [47]. Thus AMV activities are indeed sources of pollution concern that affect the environment.

### III. Sources Of Pollution

The sources of AMV pollution largely depends on the mechanic personnel, work area and practice. The engine oil of a running engine accumulates heavy metals [48] and when indiscriminately disposed on the soil increases heavy metal load of the top soil [49]. The heavy metals can also escape the surface of abandoned metal scrap via corrosion and leach into the surrounding soil [48]. AMVs near or within gas stations have also been identified as major sources of heavy metal contaminations [45]. Likewise, improper disposal of lubricating oil, used engine and motor oil by AMV workers is a major contributor of pollution [51].

The environmental pollution caused by AMVs, has been a concern to public environmental health and safety [52]. The common practice of open dumps and uncovered surface landfills in AMVs [53] and adulterated gasoline [54], largely contribute to higher pollution index of AMVs. The non-regularization of gasoline and petroleum product standards may continue to hamper any clean up approach [55]. The reason is because higher concentration levels of Cu, Zn, Mn, Si, V, Mo and Fe are present in regular gasoline and petroleum products sold in Nigeria [56]. They situation continues to deteriorate. For instance; study has shown that about 1.4 million litres of spent oil are annually disposed in Nekede Mechanic village in Imo State, Nigeria [57] with the devastating consequences. Additionally, spills and leakages, accidents and sabotage often compound the problem [58]. The non implementation of environmental laws, bribery and corruption creates room for more challenges [59, 60]. Again, the jammed traffic flows at AMVs can increase vehicular exhaust emissions [61]. Such vehicular emissions will eventually end up in soils or inhaled by humans [62]. In the soil, studies have shown bioaccumulation of metals (Fe, Ni, Mn, Zn, Cu, Cd, Cr and Pb) at different concentrations in certain medicinal plants [63]. Factors such as pH, organic matter, moisture content were at favourable conditions to these pollutants [64, 65]. Similarly, oil effluents disrupt the physicochemical balance of the soil and affect soil degrading bacteria in the soil [67] likewise soil invertebrates like earthworm and millipede [68]. Also the abundance of oil tolerant plants such as metal excluders or detoxifiers (*Amaranthus Spinousus* and *Amaranthus hybridus*) in AMVs indicates that spent oil type of pollution is prevalent in AMVs [70]. Lichens are also common in AMVs and often indicate high levels of heavy metals pollution from battery, oil leakage and worn out tyre sources [70].

On the other hand, artisans' activities in AMVs often contribute to indiscriminate disposal of wastes on the top soil and will eventually cause groundwater contamination [71]. These unregulated activities reduce bioavailability of essential nutrients to plants in the soil, while increasing bioaccumulation of non essential elements [72]. Also, the absence of personal protective equipment endangers the AMV workers [73] especially during servicing of malfunctioning vehicles and disposal of used engine oil [74, 75]. Thus the sources of pollution in AMVs are numerous, prevalent and non-specific.

### IV. Methodology In Pollution Studies

Heavy metals in AMVs have continued to pose environmental challenges to Nigeria as a nation. The table 1 below is an assessment of previous studies of heavy metals present in AMVs in Nigeria. From the table, observation showed that, the major researched AMVs in the East were Orji and Owerri AMV both in Imo State. Common analytes had been Cd, Cu and Cr and Pb using AAS.

**Table 1: Assessment of heavy metal studies in the four regions of Nigeria**

REGION	STUDY AREA	METHOD	ANALYTE	REF
EAST	Nekede/Orji	AAS	Cd, Cr, Cu, Fe, Pb	76
EAST	Nekede/Orji	AAS	Cd, Cu, Mn, Ni, Pb, Zn	77
EAST	Nekede/Orji	AAS	Cd, Cr, Cu, Fe, Mn, Ni, Pb	78
EAST	Nekede/Orji	AAS	Cd, Cr, Cu, Fe, Mn, Ni, Pb	79
EAST	Nekede/Orji	AAS	Cd, Cr, Cu, Fe, Mn, Ni, Pb	80
WEST	Soil A/Soil B/Soil C	AAS	Cd, Cr, Cu, Fe, Mn, Ni, Zn	35
WEST	Bodija/Oke Ado/Ijokodo	Unknown	Cd, Fe, Pb	36
WEST	Ap Bus stop/Ondo Road Junction/ NNPC Along road/Olubuse Junction 1/Olubuse Junction 2/ Opposite NNPC Along road/OAU Botanical Garden	AAS	Cd, Cu, Fe, Pb, Zn	70
WEST	Akungba/Ikare/Akoko	AAS	As	71
WEST	Capsite/Kobape Obada/Sagamu	AAS	Cd, Cr, Cu, Fe, Ni, Zn	81
WEST	Agbowo/Apete Dugbe/Ijokodo/Ojoo Mokola/Bodija/OjuIrin	AAS	Cd, Cr, Cu, Ni, Pb	82
WEST	IkareAkoko 1 IkareAkoko 2 IkareAkoko 3	AAS	Cd, Cr, Cu, Fe, Ni, Zn, Pb	83
WEST	Idiaba/Kotopo/Fajol	AAS	Cr, Co, Cu, Ni, Pb, Zn	84
WEST	Oyemekun/Oke-Ijebu	AAS	Ba, Cd, Cr, Co, Cu, Fe, Ni, Pb,	85

	Ijapo/Ilesha/Ondo Road		Zn	
<b>WEST</b>	Iwo School/Odori Market/ Hospital Road/Fawibe Street/ Saint Anthony Primary School	AAS	Cr, Hg, Ni, Pb, Zn	86
<b>NORTH</b>	North Bank	AAS	Cd, Cu, Mn, Ni, Pb, Zn	65
<b>NORTH</b>	Apirr/ North Bank	AAS	Ag, As, Cd, Cr, Cu, Fe, Hg, Mn, Pb, Zn	87
<b>NORTH</b>	Samaru/Kofardoka/SabonGari/ Tudun Wada.	XRF	Al, Ba, Ca, Cr, Cu, Fe, Ga, K, Mn, Mo, Ni, P, Pb, S, Si, Ti, V, Zn	88
<b>NORTH</b>	Apir/Gboko	AAS	Cd, Cu, Mn, Ni, Pb, Zn	89
<b>NORTH</b>	Apir/Benue Industrial layout/ Integrated waste Dump	AAS	Cd, Cu and Pb	90
<b>NORTH</b>	Samaru/Kwagila/Wusasa/Kofan-Doka/Sun Seed/Muchia/SabonGari	XRF	As, Ba, Ca, Cu, Eu, Fe, K, Mn, Nb, Ni, Os, Pb, Rb, Re, Ru, S, Sr, Ti, Th, V, Y, Yb, Zn Zr	91
<b>NORTH</b>	Otukpo/Gboko/Makurdi	FAAS	Cd, Co, Cu, Mn, Ni, Pb, Zn	92
<b>NORTH</b>	Das Park	AAS	Cd, Cr, Cu, Mn, Pb, Zn	93
<b>SOUTH</b>	Site 1/Site 2/Site 3	AAS	Cd, Cu, Ni, Pb	42
<b>SOUTH</b>	Uwelu/Warri-Effurun	AAS	Cd, Cr, Cu, Fe, Mn, Ni, Pb, Zn	94
<b>SOUTH</b>	Warri-Effurun	AAS	Cd, Cu, Ni, Pb	95
<b>SOUTH</b>	Mile 3/Rumola/Trans-Amadi/ Rumuokoro	AAS	Cd, Hg, Ni, Pb, V	96
<b>SOUTH</b>	Point 1/Point 2/Point 3	AAS	Cu, Fe, Mn, Zn	97
<b>SOUTH</b>	Evbareke/Igun/Uwelu	AAS	Al, Ca, Cu, Fe, Mg, Mn, Na, K, P, Zn	98
<b>SOUTH</b>	Mile 2/Mile 3	AAS	Fe, Pb	99

The western region showed that other metals of interest such as Cr, Zn, Ni, and Fe had been conducted over the years. Again, AAS was the most common sampling methodology. There were also more named locations in the western region than in the eastern region. The North utilized other sampling methodology such as FAAS, XRF and AAS. They instruments may have contributed to many analytes studied due to the speed and robustness of the instrument. Moreover their locations were different when compared to the east. In the west, observation shows that only AAS methodology was used, In addition the study areas were in different locations. In contrast to east and west AMV studies that focused on heavy metals, the south analysed trace metals such as V, Mn, Mg, P, K, Ca while the North determined some radioactive elements like Zr, Yb, Sr, RbEu, Ru, Re and Th.

In order to statistically evaluate and review the different metals present in these four geo-political regions, a graph was plotted showing the frequency of occurrence of the heavy metals as per the four regions. The figure 1 below shows that in the east, Cd and Pb were the most studied and most abundant of all metals while Zn recorded the lowest frequency. The western scale showed that Zn, Pb, Ni, Cd, Cr and Cu were the metals of interest occurring in abundance while As, Ba, Hg and Mn recorded the least studied metal also showing non availability of these metals in the area. The North region frequency chart showed high abundance of Zn, Cd, Pb, Cu and Mn metals. The other remaining 30 named metals in the chart were of low occurrence in the North. Likewise, observation of the South frequency chart depicted the high availability of Cu, Fe, Pb and Cd in studied area. While the other named metals in the chart showed average occurrence and availability.



repairs and can induce certain adverse health effects [104, 105]. Similarly, exposure of humans to gasoline exhaust particles, disrupts the epithelia vital protection mechanism in the body, thus making the immune system susceptible to toxins [106]. The global automotive industry has been conscious of gaseous and particulate emissions from automobiles that would pose occupational health risk especially exhaust emissions, crankcase blowby emissions and evaporative emissions [107, 108] by adoptive innovative researches to reduce these emissions. Research has shown that a typical automobile battery contains Pb and HCl and both are dangerous to humans. The Bumper of vehicles are cloned with Chromium and Cyanide; two poisonous potent metals. The Engine raves up evaporative and non evaporative emissions. It is also a source of used up oil that would eventually be discharged into the soil or water and contaminate the environment. The exhaust releases, particulate matters, polycyclic aromatic hydrocarbons, volatile organic compounds, unburnt hydrocarbon and other gaseous pollutants such as NO<sub>2</sub>, CO, CO<sub>2</sub>, SO<sub>2</sub>. These be inhaled or ingested at different exposure rates and will eventually trigger health related diseases that affect cardiovascular regions other organs. More so, Gasoline tank releases benzene and hydrocarbon emissions during refuelling. Toxic chemicals such as dyes, greases and waxes, amines, nitrosamines, vinyl chloride, formaldehyde, phenols and other solvents are used in production of car seat textiles, tyres and plastic components [108].

## **VI. Effects Of Pollution**

Spent lubricating oil when discharged into the soil inhibits the growth of plants by reducing height and leave formation [109, 110]. Reduced seedling length and root length have also been observed in certain plants like *Cassia Siemea* when exposed to exhaust emissions [111]. Spent oil effluents discharged indiscriminately have also terminated the growth of certain plant embryos like *Cicer arietinum* and *Vignaradiata* [112]. In *Zea Mays*, leaf formation was disrupted, stunted growth and high mortality rate was experienced when it was exposed to soils contaminated with used oil [113, 114]. In addition, there was the low yield and poor quality of grains observed during harvest for *ZeaMays* [115] and *ArachisHypogaei* [116]. In another study, Pb levels were higher than permissible limit in consumables sold around AMVs [117]. Thus indicating the possibility of bioaccumulation of heavy metals (Cd and Pb) in plants that are prevalent in Nigerian AMVs [118]. The microbial soil population have also been observed to be at risk at high concentration levels of heavy metals [119]. For e.g. when exposed to used engine oil, *Aspergillus nigervan Tiegh* mycelia growth experienced growth reduction in contrast to *Staphylococcus aureus* that found such environment as a new habitat. [120,121]. Thus the survival of microbes in AMVs polluted area can either be disturbed or enhanced by presence of certain contaminants [122]. The pollution level can sometimes cause a corresponding increase in soil organic carbon. These bring about the reduction of soil nitrate and phosphate level needed for biogeochemical cycle [123] which would eventually affect crop yield [124].

In humans, AMV workers are occupationally exposed to toxic metals arising from associated operations and repairs [20,125]. The major element of concern for humans is Pb. This single metal, can disrupt blood pressure, induce nephrotoxic effects, and affect the levels of Ca and P in metabolism of humans. It has also been observed to be dangerous to renal tubules and cardiovascular systems [125, 126, 127, 128, 129]. Child labours are frequently sighted in AMVs [130]. The Adult workers are often observed to be performing their duties such as lifting and carrying, pulling and pushing, twisting and turning, at different posture stance without any health and safety precautions. These activities constitute a major risk to the health and safety of the workers, because it will eventually affect their musculoskeletal balance [131]. The vehicle spray sections perform their activities in unenclosed platforms, releasing benzene and other toxic chemicals like phenol into the atmosphere [132]. Incredibly, over 150 organic compounds such as Polybrominated diphenyl ethers, ethylbenzene, styrene, toluene, formaldehyde are some of the air pollutants found in automobiles [133]. Moreover, working with brake parts can cause mesothelioma, deposition of tremolite, asbestos in the lungs and higher risk of ischemia of fingers [134, 135]. Thus AMVs activities poses greater risk of occupational health hazards.

## **VII. Remediation And Control**

The remediation of pollution in AMVs and implementation of controls will be of both economic and environmental value to the Nigerian nation. Solidification and stabilization, flushing and Phytoextraction, vitrification and electrokinetic are some of the technologies for remediation of soil with low to moderate Cd, Zn, and Pb contamination [136, 137]. For high levels of toxic contaminants, excavation and removal, in-situ fixation and rhizofiltration, bioremediation can be applied [137, 138] for e.g. Plants like sunflower have also been used for bioremediation of contaminated soils [138]. The use of enhanced natural attenuation by periodically turning heavily polluted soil and by natural land farming practice in contaminated sites are also viable [139,140]. Thus, the genetic manipulation of biomass and metabolic pathways is a promising technology in phytoremediation [141]. Granular activated carbon is another promising approach used for polluted soils [142]. However, findings showed that soil type and contaminant characteristics play important role in determining the type of remediation that should be applied [143]. Moreover toxicological assessment of the heavy metals and use of biological

materials like surfactants are also important parameters to be determined before remediation [144, 145]. Other biological materials for remediation of contaminated soil in AMVs include the use of aerobically fixed bioreactors [146], use of earthworm as biocatalyst [147], use of poultry litter, and cow dung have all been successfully used in AMV remediation [148, 149] and restoration of nutrient depleted soil recorded. On the other hand, soil microbes like *Aspergillus niger* can be used as biosensors in environmental biomonitoring of soil polluted by heavy metal [150]. Bacteria like *Pseudomonas*, *Corynebacterium species*, *Bacillus sp*, *Pseudomonas aeruginosa*, *Serratia specie*, and *Alcaligenes faecalis* have shown great potential for waste engine oil degradation [151, 152, 153] in contaminated soil environment. Similarly, *Aeruginosa*, *Micrococcus spp*, *Proteus mirabilis*, *Proteus vulgaris* and *Enterobacterspp* have been applied in petrol motor spirit and engine oil degradation [154]. Again microbial and fungi organisms like *Aspergillus species*, *Penicillium species*, *Moniliella species*, *Curvularia species* and *Mucor species* are known to be spent engine oil biodegraders [155, 156, 157].

The development and implementation of occupational health and safety for AMVs, awareness and implementation of personal protective equipment, and good waste disposal practices should be established and implemented [158, 159]. Subsequently technical skills and technology needed to efficiently service or repair vehicles using newer technologies should be acquired and utilized [160, 161]. Such repairs and servicing should be carried out in an environment equipped with modern workshop tools for painting, scrapping, welding, lifting and carrying etc [162]. Also, since the newer technologies used in automobiles are constantly improved with processors and sensors [163, 164], therefore repairs should be done by trained technicians and technologists [165, 166]. Thus in this light, setting up technical training centres and skill acquisition for technicians and technologists would be necessary to arrest ignorance and abuse [167, 168].

### VIII. Findings And Recommendation

The review study conducted had elucidated some of the problems that plague the Nigerian AMVs. The findings showed that 95% of the researched AMVs locations are located in the cities or nearby urban settlement. This however, does not exonerate the noticeable pollution activities of AMVs in the villages and local neighbourhoods. Few studies have been conducted on automobile pollution emitted from the cabin but seldom on malfunctioning automobiles that are 10 years and older. Hence if performed, would elucidate associated health and environmental pollution from non-evaporative sources caused by malfunctioning automobiles. There had been the absence of studies conducted on heavy metal ingestion, absorption and digestion by AMV workers due to workplace environment. Such studies would provide more insight into the nature of heavy metal poisoning in AMV workers. Similarly, toxic atmospheric air pollutants existing within AMVs had not been reported as serious health concern by government agencies, nor had mainstream atmospheric research capture such environment. Thus, AMV localities may be having poor air quality index risk due to atmospheric contamination.

Principally, the automobile industry occupies a niche in both production and consumption system [169] that flourishes with access to global technology [170]. They continue to merge together through acquisitions, and thus share components and architecture. This leverages synergies with their partners locally and globally. Therefore, it becomes pertinent for a nation like Nigeria to provide standard repair workshops and services with global technology, implement favourable industry policies, and environmental pollution controls from automobiles [168] or risk constant environmental pollution from vehicular sources.

To this end, it is therefore proposed that abandoned AMVs should be remediated and reclaimed to avoid further environmental degradation. Continuous assessment of pollutants around AMVs using biomonitoring and phyto-monitoring should be routinely implemented. Toxicological assessment of AMV workers exposed to pollution and contamination for data acquisition and utilization should be done regularly. The establishment of institutional training schools for technical training and promotion of technological skills acquisition and finally the implementation of anti-pollution initiative and occupational safety at work for AMV workers.

### References

- [1]. Mwambazambi, K. (2010). Environmental Problems in Africa: A Theological Response. Ethiopian Journal of Environmental Studies and Management, 3(2). doi:10.4314/ejesm.v3i2.59827.
- [2]. Olusola, A. (2012). Climate Change and the Environment: Issues and Geoinformation Challenges, Global Warming and the Environment: Issue and Geoinformation Challenges. TS07F - Task Force on Surveyors and the Climate Change II, 6098. Rome, Italy, 6-10.
- [3]. Maroto-Valer, M. M., Song, C., & Soong, Y. (Eds.). (2002). Environmental Challenges and Greenhouse Gas Control for Fossil Fuel Utilization in the 21st Century. doi:10.1007/978-1-4615-0773-4
- [4]. Omofonmwan, S.I. & Osa-Edoh, G.I. (2008). The Challenges of Environmental Problems in Nigeria. Journal of Human and Ecology, 23(1): 53-57.
- [5]. Adelana, S., & Adeosun, T. (2011). Environmental pollution and remediation: challenges and management of oil Spillage in the Nigerian coastal areas. American Journal of Scientific and Industrial Research, 2(6), 834-845. doi:10.5251/ajsir.2011.2.6.834.845

- [6]. Odoemene, A. (2011). Social Consequences of Environmental Change in the Niger Delta of Nigeria. *Journal of Sustainable Development*, 4(2). doi:10.5539/jsd.v4n2p123
- [7]. Elum, Z. A., Mopipi, K., & Henri-Ukoha, A. (2016). Oil exploitation and its socioeconomic effects on the Niger Delta region of Nigeria. *Environ Science and Pollution Research*, 23(13), 12880–12889. doi:10.1007/s11356-016-6864-1
- [8]. Batta, H. E., Ashong, A. C., & Bashir, A. S. (2013). Press Coverage of Climate Change Issues in Nigeria and Implications for Public Participation Opportunities. *Journal of Sustainable Development*, 6(2). doi:10.5539/jsd.v6n2p56
- [9]. Ityavyar, E.M., & Tyav, T.T (2013). Environmental pollution in Nigeria: the need for awareness creation for sustainable development. *Journal of Research in Forestry, Wildlife and Environment*, (4)2.
- [10]. Erdős, L, Magnes, M, & Batori, Z. (2015). The effects of Land-use History and Landscape Context on Habitat Naturalness: An Assessment Using Relative Naturalness Indicator Values. *Applied Ecology and Environmental Sciences*, (3)5 146-150.
- [11]. Olotuah, A.O. (2010). Housing Development and Environmental Degeneration in Nigeria. *The Built & Human Environment Review*, 3.
- [12]. Ige, J.O & Atanda, T.A. (2013). Urban Vacant Land and Spatial Chaos in Ogbomosho North Local Government, Oyo State, Nigeria. *Global Journal of Human Social Science Geography, Geo-Sciences & Environmental Science & Disaster Management*, 13(2).
- [13]. Fatusin, A. (2015). Spatial Characteristics: A Planners View of Locational Pattern and Underlying Factors among Small Scale Industries in Ondo State of Nigeria. *Ethiopian Journal of Environmental Studies and Management*, 8(3), 252-263. doi:10.4314/ejesm.v8i3.2.
- [14]. Zabbey, N, & Uyi, H. (2014). Community responses of intertidal soft-bottom macrozoobenthos to oil pollution in a tropical mangrove ecosystem, Niger Delta, Nigeria. *Marine Pollution Bulletin*, 82(1-2), 167–174. doi:10.1016/j.marpolbul.2014.03.002.
- [15]. Lawanson, T., & Olanrewaju, D. (2012). The Home as Workplace: Investigating Home Based Enterprises in Low Income Settlements of the Lagos Metropolis. *Ethiopian Journal of Environmental Studies and Management*, 5(4). doi:10.4314/ejesm.v5i4.9.
- [16]. Izunwa, O. (2011). Impact of Science and Scientific Worldview on Man: A Critical Review in Ogririshi: A New Journal of African Studies, 8(1), 142-150. doi:10.4314/og.v8i1.9
- [17]. Rana, E & Ali, K. (2009). Socioeconomic Aspects of Child Labour- A Case Study of Children in Auto Workshops. *The Lahore Journal of Economics*, 6(1), 94-109.
- [18]. Amiya, D, Saugat, B, Aparajita D, Nabarun K, Sulagna D, Mahul M. (2014). A Cross-Sectional Study on Knowledge and Attitude of HIV/AIDS among Automobile Repair Workers in a Slum of Kolkata. *International Journal of Health Sciences & Research*, 4(7).
- [19]. Barber, J. (2003). The informally trained mechanic: skill acquisition in the workplace. *Journal of Vocational Education & Training*, 55(2), 133–148. doi:10.1080/13636820300200222
- [20]. Inam, E, Edet, J.B & Offiong, N.A.O. (2015). Levels and occupational health risk assessment of trace metals in soils from automobile repair workshop village and environs in Uyo metropolis, Nigeria. *African Journal of Environmental Science and Technology*, 9(7), 584-591.
- [21]. Imtiazuddin. (2012). Pollutants of Wastewater Characteristics in Textile Industries. *Journal of Basic and Applied Sciences*. doi:10.6000/1927-5129.2012.08.02.47
- [22]. Vinay K.S, Zulfiqar, A & Abhay, R. (2013). Modulatory Effect of Tannery Effluents on, Physicochemical Quality of River Water. (2013). *Chemical Science Transactions*. doi:10.7598/cst2014.617
- [23]. Shankar, B. S, & Sanjeev, L. (2008). Assessment of Water Quality Index for the Groundwaters of an Industrial Area in Bangalore, India. *Environmental Engineering Science*, 25(6), 911–916. doi:10.1089/ees.2007.0231
- [24]. Subba Raju, O. V., P.M.N. Prasad, P. M. N. P., & Reddy, Y. V. R. (2012). Determination of Heavy Metals in Ground Water by ICP-MS in Selected Coastal Areas of Nellore District, Andhra Pradesh, India. *International Journal of Scientific Research*, 2(11), 78–81. doi:10.15373/22778179/nov2013/24
- [25]. SwarnaLatha, P., & Nageswara Rao, K. (2011). An integrated approach to assess the quality of groundwater in a coastal aquifer of Andhra Pradesh, India. *Environmental Earth Sciences*, 66(8), 2143–2169. doi:10.1007/s12665-011-1438-5
- [26]. Adjei, E.O, & Sadick, A. (2015). Assessment of Water Quality for Irrigated Rice Production As Affected By a Cluster of Auto Mechanic Workshops Upstream. *Annals. Food Science and Technology*, (16)1.
- [27]. Tsado, P.A, Lawal, B.A, Eze, C.E, Afolabi, S.G, & Saidu, O.I. (2014). Assessment of the Suitability of Water Quality for Irrigation in Minna, Niger State. *International Journal of Research in Agriculture and Forestry*, 1(2), 13-17.
- [28]. Peretiemo-Clarke, B. O, Balogun, M. A, & Akpojuyovwi, O. (2009). A study of physico-chemical characteristics of Ugborikoko/Okere stream as an index of pollution. *African Journal of Biotechnology*, 8(22), 6272-6276.
- [29]. Kuforiji, T.S & Ayandiran T.A. (2013). Study of heavy metals pollution and physico-chemical assessment of water quality of River Owo, Agbara, Nigeria. *International Journal of Water Resources and Environmental Engineering*, 5(7), 434-341.
- [30]. Johnbosco, E. U., & Nnaji, A. O. (2011). Influence of Land use Patterns on Otamiri River, Owerri and Urban Quality of Life. *Pakistan Journal of Nutrition*, 10(11), 1053–1057. doi:10.3923/pjn.2011.1053.1057
- [31]. Nwachukwu, M.A, Huan, & Duke, O. (2010). Groundwater Flow Model and Particle Track Analysis for Selecting Water Quality Monitoring Well Sites, and Soil Sampling Profiles. *Journal of Spatial Hydrology*, 10(1).
- [32]. Onuoha, S.C., Olugbue, V.U, Uraku, J.A & Uchendu, D.O. (2011). Biodegradation Potentials of Hydrocarbon Degraders from Waste-lubricating Oil-spilled Soils in Ebonyi State, Nigeria. *International Journal of Agriculture & Biology*, 13, 586–59.
- [33]. Ojiako, E.N & Okonkwo, M.N. (2013). Analysis of heavy metals in soil of mechanic workshop in Onitsha metropolis. *Advances in Applied Science Research*, 4(1), 79-81
- [34]. Adewole, M., & Uchegbu, L. (2011). Properties of Soils and Plants Uptake within the Vicinity of Selected Automobile Workshops in Ile-Ife South-western, Nigeria. *Ethiopian Journal of Environmental Studies and Management*, 3(3). doi:10.4314/ejesm.v3i3.63962
- [35]. Ololade, I., Oloye, F., Adamu, H., Oluwole, O., Oluyede, O., Folasade, A., & Ololade, O. (2015). Distribution and Potential Mobility Assessment of Some Hazardous Metals in Soil of Mechanic Workshops: A Case Study of Akoko Land in Nigeria. *International Research Journal of Pure and Applied Chemistry*, 7(2), 54–68. doi:10.9734/irjpac/2015/16340
- [36]. Adewoyin, O. A., Hassan, A. T. & Aladesida, A. A. (2015). The impacts of auto-mechanic workshops on soil and groundwater in Ibadan metropolis. *African Journal of Environmental Science and Technology*, Vol. 7(9), 891-898.
- [37]. Nwuche, C. O., & Ugoji, E. O. (2008). Effects of heavy metal pollution on the soil microbial activity. *International Journal of Environmental Science & Technology*, 5(3), 409–414. doi:10.1007/bf03326036
- [38]. Beetseh, C.I. and Num G. (2013). A survey of the presence and quantity of heavy metals in water sources at and around the Auto Mechanic village at Lafia Junction, North Bank, Makurdi, Benue State. *Civil and Environmental Research*, 3(3).
- [39]. Achi, M.M, Uzairu, A, Gimba, C.E & O. J. Okunola. (2011). Chemical fractionation of heavy metals in soils around the vicinity of automobile mechanic workshops in Kaduna Metropolis, Nigeria. *Journal of Environmental Chemistry and Ecotoxicology*, 3(7), 184-194.

- [40]. Luter, L., Terngu, A., &Attah, S. (2011). Heavy Metals in Soils of auto- mechanic shops and refuse dumpsites in Makurdi Nigeria. *Journal of Applied Sciences and Environmental Management*, 15(1). doi:10.4314/jasem.v15i1.65698
- [41]. Ozulu,, G. U., Usiobaifo, O. B.,& Usman, A. A. (2013).Assessing the Impact of Waste Gasoline on the Physicochemical Properties of Soils at Selected Automobile Workshops in Obiaruku, Southern Nigeria. *Universal Journal of Environmental Research and Technology*, 3(4), 427-435.
- [42]. Edu, I, John, B. E., &Abasi, O. O. (2015). Levels and occupational health risk assessment of trace metals in soils from automobile repair workshop village and environs in Uyo metropolis, Nigeria. *African Journal of Environmental Science and Technology*, 9(7), 584–591. doi:10.5897/ajest2015.1909
- [43]. Ikhajiagbe B., Chijioko-osuji, C.C.,&Osazee J.O. (2014). Heavy metal contents and microbial diversity of waste engine oil-polluted soil in some public and commercial centres in Benin City metropolis, Nigeria. *The Bioscientist*, 2(1): 41-53.
- [44]. Sadick, A, Amfo-Otu, R, Acquah, S.J, Nketia, A.K, Asamoah, E, Adjei, O. (2015). Assessment of Heavy Metal Contamination in Soils around Auto Mechanic Workshop Clusters in Central Agricultural Station, Kumasi-Ghana. *Applied Research Journal*, 1(2), 12-19.
- [45]. Emmanuel, A., Cobbina, S. J., Adomako, D, Duwiejuah., A. B, &Asare, W. (2014). Assessment of heavy metals concentration in soils around oil filling and service stations in the Tamale Metropolis, Ghana. *African Journal of Environmental Science and Technology*, 8(4), 256–266. doi:10.5897/ajest2014.1664.
- [46]. Adjei, O.W & Adams Sadick, A, (2015). Assessment of Water Quality for Irrigated Rice Production As Affected By a Cluster of Auto Mechanic Workshops Upstream. *Annals. Food Science and Technology*, 16(1).
- [47]. Demie, G. (2015). Analyzing soil contamination status in garage and auto mechanical workshops of Shashemane City: implication for hazardous waste management. *Environmental Systems Research*, 4(1). doi:10.1186/s40068-015-0040-3.
- [48]. Nwachukwu, M. A., Feng, H., &Achilike, K. (2010). Integrated studies for automobile wastes management in developing countries; in the concept of environmentally friendly mechanic village. *Environmental Monitoring and Assessment*, 178(1-4), 581–593. doi:10.1007/s10661-010-1714-y.
- [49]. Nwachukwu, A. (2012). Review and assessment of mechanic village potentials for small scale used engine oil recycling business. *African Journal of Environmental Science and Technology*, 6(12), 464–475. doi:10.5897/ajest12.091.
- [50]. Michael, A. (2015). Used Oil Storage and Disposal Practices in Automobile Repair Garages in Ghana. *International Journal of Science, Technology and Society*, 3(4), 221. doi:10.11648/j.jsts.20150304.23.
- [51]. Akporido, S. O., &Asagba, S. O. (2013). Quality Characteristics of Soil Close to the Benin River in the Vicinity of a Lubricating Oil Producing Factory, Koko, Nigeria. *International Journal of Soil Science*, 8(1), 1–16. doi:10.3923/ijss.2013.1.16.
- [52]. TauTua, A., Bamidele, M. W., Onigbinde, A. O., & Ere, D. (2014). Assessment of some heavy metals and physicochemical properties in surface soils of municipal open waste dumpsite in Yenagoa, Nigeria. *African Journal of Environmental Science and Technology*, 8(1), 41–47. doi:10.5897/ajest2013.1621.
- [53]. Christopher, N. A., & Emmanuel, E. I. I. (2014). Assessment of environmental degradation of soil and groundwater: A case study of waste disposal in Benin West Moat - Ekenwan gully Benin City, Edo State, Nigeria. *African Journal of Environmental Science and Technology*, 8(6), 381–390. doi:10.5897/ajest2014.1685.
- [54]. Grzegorz, Z.(2007). Laundering of “Illegal” Fuels : A Forensic Chemistry Perspective. *ActaChimicaSlovanica*. 54, 110–113.
- [55]. Falla, F. S, Araujo P.P, López-Gejo, J, Le Roux, Quina, F.H, Nascimento, C.A.O. (2008). Application of Fluorescence Spectroscopy For Spectral Discrimination Of Crude Oil Samples. *Brazilian Journal of Petroleum and Gas*. 2(2), 9-17.
- [56]. Nworgu, O. D., &Osahon, O. D. (2011). Determination of the Distribution Patterns and Abundances of Trace Elements in Nigerian Crude Oil Using the AAS Technique. *International Journal of Engineering Research in Africa*, 5, 64–73. doi:10.4028/www.scientific.net/jera.5.64
- [57]. Udebuani, A.C, Okoli, G.C, Okoli, I.C, Nwigwe, H.C &Ozoh, P.T.E. (2011). Assessments of the volume and disposal methods of spent engine oil generated in Nekede mechanic village, Owerri, Nigeria. *Report and Opinion*. 3(2).
- [58]. David, E. O., & Joel, O. F. (2013). Environmental Remediation of Oil Spillage in Niger Delta Region. *SPE Nigeria Annual International Conference and Exhibition*.13, 24-34. doi:10.2118/167585-ms.
- [59]. Baghebo, M. (2012). Environmental Damage Caused By The Activities Of Multi National Oil Giants In The Niger Delta Region Of Nigeria. *IOSR Journal of Humanities and Social Science*, 5(6), 9–13. doi:10.9790/0837-0560913.
- [60]. Hu, J., Wu, Y., Wang, Z., Li, Z., Zhou, Y., Wang, H., Hao, J. (2012). Real-world fuel efficiency and exhaust emissions of light-duty diesel vehicles and their correlation with road conditions. *Journal of Environmental Sciences*, 24(5), 865–874. doi:10.1016/s1001-0742(11)60878-4
- [61]. Gokhale, S. (2012). Impacts of traffic-flows on vehicular-exhaust emissions at traffic junctions. *Transportation Research Part D: Transport and Environment*, 17(1), 21–27. doi:10.1016/j.trd.2011.08.006
- [62]. Alinnor, I.J., Ogukwe,C.E, &Nwagbo, N. C. (2014).Characteristic Level of Total Petroleum Hydrocarbon in Soil and Groundwater of Oil Impacted Area in the Niger Delta Region, Nigeria. *Journal of Environment and Earth Science*. 4(23).
- [63]. Shah, A., Niaz, A., Ullah, N., Rehman, A., Akhlaq, M., Zakir, M., &Suleman K.M. (2013). Comparative Study of Heavy Metals in Soil and Selected Medicinal Plants. *Journal of Chemistry*, 2013, 1–5. doi:10.1155/2013/621265
- [64]. Essien, O., & John, I. (2011). Impact of Crude-Oil Spillage Pollution and Chemical Remediation on Agricultural Soil Properties and Crop Growth. *Journal of Applied Sciences and Environmental Management*, 14(4). doi:10.4314/jasem.v14i4.63304
- [65]. Pam A.A, Sha-Ato, R, &Offem, J.O. (2013). Contributions of Automobile Mechanic Sites to Heavy Metals in Soil: A Case Study of North Bank Mechanic Village Makurdi, Benue State, Central Nigeria. *Journal of Chemical, Biological and Physical Sciences*, 3(3), 2337-2347.
- [66]. Tanee, FBG, & Albert, E. (2015). Post-Remediation Assessment of Crude Oil Polluted Site at Kegbara-Dere Community, Gokana L.G.A. of Rivers State, Nigeria. *Journal of Bioremediation & Biodegradation*, 02(03). doi:10.4172/2155-6199.1000122.
- [67]. Francis, T.K.A., Theresa, N.A., Felicitas, N.Y., Gerald, N., &Roi, N.N. (2008). Lubricating oil-degrading bacteria in soils from filling stations and auto- mechanic workshops in Buea, Cameroon: occurrence and characteristics of isolates. *African Journal of Biotechnology*, 7(11), 1700–1706. doi:10.5897/ajb08.734
- [68]. Udousoro, I., Umoren, I. U., Izuagie, J. M., Ikpo, C. U., Ngeri, S. F., &Shaibu, E. S. (2015). Soil Invertebrates As Bio-Monitors of Toxic Metals Pollution in Impacted Soils. *Current World Environment*, 10(2), 367–385. doi:10.12944/cwe.10.2.02.
- [69]. Anoliefo, G. O, Ikhajiagbe, B, Okonofhua, B. O, &Diafe, F. V. (2006). Eco-taxonomic distribution of plant species around motor mechanic workshops in Asaba and Benin City, Nigeria: Identification of oil tolerant plant species. *African Journal of Biotechnology*, 5(19), 1757-1762.
- [70]. Odiwe, A. I., Adesanwo, A. T. J., Olowoyo, J. O., & Raimi, I. O. (2014). Assessment of trace metals using lichen transplant from automobile mechanic workshop in Ile-Ife metropolis, Nigeria. *Environmental Monitoring and Assessment*, 186(4), 2487–2494. doi:10.1007/s10661-013-3555-y

- [71]. Oloye, F. F., Ololade, I. A., Oluwole, O. D., Bello, M. O., Oluyede, O. P., &Ololade, O. (2014). Fate and Potential Mobility of Arsenic (As) in the Soil of Mechanic Workshops. *Environment and Pollution*, 3(4). doi:10.5539/ep.v3n4p70.
- [72]. Coulson, S., Morgan-Smith, R., Mitchell, S., &McBriar, T. (2008). An investigation into the presence of petrol on the clothing and shoes of members of the public. *Forensic Science International*, 175(1), 44–54. doi:10.1016/j.forsciint.2007.05.005.
- [73]. Chengo, K, Murungi, J, Mbuvi H. (2013).Speciation of Chromium and Nickel in Open-Air Automobile Mechanic Workshop Soils in Ngara, Nairobi, Kenya. *World Environment*, 3(5), 143-154.
- [74]. Obini, U., Okafor, C., &Afiukwa, J. (2013). Determination of levels of polycyclic aromatic hydrocarbons in soil contaminated with spent motor Engine oil in Abakaliki Auto-Mechanic Village. *Journal of Applied Sciences and Environmental Management*, 17(2). doi:10.4314/jasem.v17i2.1
- [75]. Ogungbuyi, P. I., Obasi, R.A., &AbimbolaA .F. (2013). Assessment of Polycyclic Aromatic Hydrocarbons (PAH) Concentration in Sediments and Soils around Ibadan, South-western Nigeria. *International Journal of Engineering and Technology*, 3(6).
- [76]. Okoro, A.C., Chukwuma, G.O.,Chukwuma, E. C., &Ugwu.I.E. (2015). Distribution Of Heavy Metals And Other Physico-chemical Properties Of Soil At Automobile Mechanic villages, Imo State.*International Journal of Scientific & Engineering Research*, (6)2.
- [77]. Okoro, A.C.,Chukwuma, G.O.,Chukwuma, E. C.,Nwachukwu , P.C., &Ezeh, K.A. (2013) Investigating The Effects Of Selected Heavy Metals On Topsoil At The Vicinities Of Two Automobile Mechanic Villages, Owerri Municipal,Nigeria. *The International Journal Of Engineering And Science*(2) 11, 19-26.
- [78]. Nwachukwu, M. A., Feng, H., &Achilike, K. (2011).Integrated studies for automobile wastes management in developing countries; in the concept of environmentally friendly mechanic village. *Environmental Monitoring and Assessment*.(178) 1, 581-593.
- [79]. Nwachukwu, M.A., Feng, H., &Alinnor, J. (2010).Trace Metal Dispersion in Soil from Auto-Mechanic Village to Urban Residential Areas in Owerri, Nigeria.*Urban Environmental Pollution*. *Procedia Environmental Sciences*.4, 310–322
- [80]. Nwachukwu, M.A., Feng, H., &Alinnor, J. (2010). Assessment of heavy metal pollution in soil and their implications within and around mechanic villages.*Int*

- [105]. Veinblat, M., Tartakovsky, L., Gutman, M., Zvirin, Y., Hausberger, S., (2016). Fuel Effects on Emissions from Heavy-Duty Diesel Engines—Results of Recent Research Programs. SAE Technical Paper 2001-24-0081. doi: 10.4271/2001-24-0081.
- [106]. Künzi, L., Krapf, M., Daher, N., Dommen, J., Jeannet, N., Schneider, S., Platt, S., Jay, G., Baumlin, N.S., Salathe, M., Prévôt, A.S.H., Kalberer, M., Strähl, C., Dümbgen, L., Sioutas, C., Balten, S.U., & Geiser, M. (2015). Toxicity of aged gasoline exhausts particles to normal and diseased airway epithelia. *Scientific Reports*.5:11801. doi: 10.1038/srep11801.
- [107]. Bielaczyc, P., Woodburn, J., Szczotka, A., Pajdowski, P. (2015). The Impact of Alternative Fuels on Fuel Consumption and Exhaust Emissions of Greenhouse Gases from Vehicles Featuring SI Engines. The 12th International Conference on Combustion & Energy Utilisation – 12ICCEU. *Energy Procedia*.66, 21-24.
- [108]. Bhandarkar, S. (2013). Vehicular pollution, their effect on human health and mitigation measures. *Vehicle Engineering (VE)* (1) 2.
- [109]. Lale, O. O., Ezekwe, I. C., Lale, N. E. S. (2014). Effect of Spent Lubricating Oil Pollution on Some Chemical Parameters and the Growth of Cowpeas (*Vigna unguiculata* Walpers). *Resources and Environment*. 4(3), 173-179. doi: 10.5923/j.re.20140403.06.
- [110]. Nwoko, C.O., Okeke, P.N., Agwu, O.O., & IAKpan, I.E. (2007). Performance of *Phaseolus vulgaris* L. in a soil contaminated with spent-engine oil. *African Journal of Biotechnology*. 6 (16), 1922-1925.
- [111]. Muhammad, S., & Muhammad, Z.I. (2012). Effect of autoexhaust emission on germination and seedling growth of an important arid tree *Cassia siamea* Lamk. *Journal of Food Agriculture*.24 (3), 234-242.
- [112]. Pratiti, C.H., Nibedita, S., Kshama, S., Vijai, K. (2012). Characterization of automobile workshop effluent and study of its effects on germination and growth of *Cicer arietinum* and *Vignaradiata*. *International journal of environmental sciences*.(3)2.
- [113]. Njoku, K.L., Akinola, M.O., & Busari, T.O. (2012). Effect of time of application of spent oil on the growth and performance of maize (*Zea mays*). *African Journal of Environmental Science and Technology*.6(1), 67-71.
- [114]. Ezeaku, P.I., & Egbemba, B.O. (2014). Yield of Maize (*Manomaspp*) affected by automobile oil waste and compost manure. *African Journal of Biotechnology*.13(11), 1250-1256.
- [115]. Adewole, B.M., & Aboyeji, O.A. (2013). Yield and quality of maize from spent engine oil contaminated soils amended with compost under screen house conditions. *Journal of Agrobiology*. 30(1), 9-19. doi: 10.2478/agro-2013-0002.
- [116]. Ogbuehi, H.C., Ezeibeke, I.O. & Ejiogu, M.C. (2011). The Effect Of Spent Engine Oil Pollution On Growth Performance Of Groundnut (*Arachis Hypogea*), Grown In Owerri, Imo State. *Global research journal of science*. 1, 24 -27.
- [117]. Usman, O. A., Shuaib, O., & Dosumu, O. (2007). Analysis of Lead In Soil And Selected Food Samples at Kyaure Mechanic Village, Bauch I State, Nigeria. *Nigerian Journal of Pure & Applied Science*. 22 , 2059-2062.
- [118]. Onweremadu, E.U., & Duruigbo, C.I. (2007). Assessment of cadmium concentration of crude oil polluted arable soils. *International journal of environmental science and technology*. 4 (3), 409-412.
- [119]. Ekwenye, U.N., & Aneke, N. C. (2008). Effects of Oil Pollution on the Soil of UmuOkpara in Abia State. *Nigerian Journal of Microbiology*, 22(1), 1746-1753.
- [120]. Emoghene, A.O., & Eyoung, M.M. (2008). Effects of Engine Oil on Mycelial Extension Growth of *Aspergillus niger* Van Tiegh. *Nigerian Journal of Microbiology*. 22(1), 1648-1651.
- [121]. Saxena, R., Kadam, S., Kazi, M.M., Bhosale, A., Sheeba, R. (2013). Study Of Microbiota Inside The Automobile Cars. *NJIRIM*. 4(1).
- [122]. Anyanwu, C.U., & Nwachukwu, O.N. (2011). Heavy Metal Resistance in Bacteria Isolated from Contaminated and Uncontaminated Soils. *International journal of resources and chemical environment*. 1(1) 173-178.
- [123]. Umanu, G., & Dodo, S.D. (2013). Assessment of Oil-Eating Fungi Isolated from Spent Engine Oil Polluted Soil Environments. *The Pacific Journal of Science and Technology*. 14(2).
- [124]. Jaboro, A.G., Akortha, E.E., & Obayagbona, O.N., (2013). Susceptibility to heavy metals and hydrocarbonlastic attributes of soil microbiota. *International Journal of Agriculture and Bioscience*. 2(5), 206-212.
- [125]. Ademuyiwa, O., Ugbaja, N.R., Idumebor, F., & Adebawo, O. (2005). Plasma lipid profiles and risk of cardiovascular disease in occupational lead exposure in Abeokuta, Nigeria. *Lipids in Health and Disease*. 4(19). doi:10.1186/1476-511X-4-19.
- [126]. Pachathundikandi, S.K., & Varghese, T.E. (2006). Blood Zinc Protoporphyrin, Serum Total Protein, And Total Cholesterol levels In Automobile Workshop Workers In Relation To Lead Toxicity: Our Experience. *Indian Journal of Clinical Biochemistry*.21 (2), 114-117.
- [127]. Dongre, N., Suryakar, A., Patil, A., Devarnavadagi, B., Ambekar, J., DileepRathi, D. (2012). Effect Of Lead Exposure On Biochemical Parameters In Automobile Workers From Bijapur, Karnataka. *International journal of current research and review*.4 (24).
- [128]. Saliu, A, Adebayo, O., Kofoworola, O., Babatunde, O., & Ismail, A. (2015). Comparative Assessment of Blood Lead Levels of Automobile Technicians in Organised and Roadside Garages in Lagos, Nigeria. *Journal of Environmental and Public Health*. Article ID 976563.
- [129]. Amah, K.U., Madu, N.K., Ahaneku, J.E., Ahaneku, G.I., Onah, C.E., Onuegbu, A.J., Olisekodiaka, J.M., Okwara, J.E., Dioka, C.E., & Meludu, S.C. (2011). Evaluation of nephrotoxic effect of lead exposure among automobile repairers in Nnewi Metropolis. *International Journal of Research in Medical Sciences*. 2(3), 1107-1111.
- [130]. Tanveer, A., Asim, M., Dilshad A., & Rashid, N. (2009). Lead Exposure In Children Living Around The Automobile And Battery Repair Workshops. *Biomedica*. (25)17. 128-132.
- [131]. Ahmad, F., Ahmad, N., Shamsul, B., Tamrin, M., Karupiah, K. (2014). The Prevalence of Musculoskeletal Disorder and the Association with Risk Factors among Auto Repair Mechanics in Klang Valley, Malaysia. *Iranian Journal of Public Health*.(43)3, 34-41.
- [132]. Atif, K., & Audil, R. (2014). Benzene Exposure Among Auto-Repair Workers From Workplace Ambience: A Pioneer Study From Pakistan. *International Journal of Occupational Medicine and Environmental Health*.27(5), 830- 839.
- [133]. Songül, A.V., Bekir, K., & Güler, C. (2010). The Automobiles as Indoors. *TAF Preventive Medicine Bulletin*,9(6), 665-672.
- [134]. Rabczyński, M., Kuźnik, E., Guziński, M., & Adamiec, R. (2015). Critical Ischemia Of The Fingers In An Auto Mechanic As A Result Of Occupational Exposure. *International Journal of Occupational Medicine and Environmental Health*.28(1), 169-173.
- [135]. Egilman, D., & Longo, W.E. (2012). Egilman's assessment regarding exposures of auto mechanics to amphiboles is correct. *Inhalation Toxicology*. (24)9, 614-618.
- [136]. Todd, A. M., & Ruby, M.V. (2004). Review of In Situ Remediation Technologies for Lead, Zinc, and Cadmium in Soil. *Remediation Wiley periodicals*. doi: 10.1002/rem.20011.
- [137]. Lambert, M., & Leven, B.A. (2000). Green New Methods of Cleaning Up Heavy Metal in Soils and Water: Innovative solutions to an environmental problem. *Environmental Science And Technology Briefs For Citizens*. Hazardous Substance Research Centers.
- [138]. Burlakovs, J., Vircavs, M. (2011). Possible Applications of Soil Remediation Technologies in Latvia. *Scientific Journal of Riga Technical University Environmental and Climate Technologies*. doi: 10.2478/v10145-011-0027-x.

- [139]. Ebuehi, O.A.T., Abibo, I B., Shekwolo, P D., Sigismund, K I, Adoki, A; &Okoro, I C. (2005).Remediation of Crude Oil Contaminated Soil by Enhanced Natural Attenuation Technique. *Journal of Applied Science and environmental Management*. 9(1), 103-106.
- [140]. Mmom, P.C., &Deekor, T.(2010).Assessing the Effectiveness of Land farming in the Remediation of Hydrocarbon Polluted Soils in the Niger Delta, Nigeria. *Research Journal of Applied Sciences, Engineering and Technology*.2(7), 654-660.
- [141]. Ana P. G. C., Marques, A.N., Rangel, O.S.S., & Castro, P.M.L. (2009). Remediation of Heavy Metal Contaminated Soils: Phytoremediation as a Potentially Promising Clean-Up Technology. *Critical Reviews in Environmental Science and Technology*,39, 622–654.
- [142]. Ameh, C.U., Jimoh, A., Abdulkareem, A.S., &Otaru, A.J. (2013).Remediation of Petroleum Polluted Site in Nigeria Using Granulated Activated Carbon (Gac).*IOSR Journal of Environmental Science, Toxicology and Food Technology*.(3) 5, 100-109.
- [143]. Faisal, I.K., Tahir, H., &Ramzi, H. (2004).An overview and analysis of site remediation technologies. *Journal of Environmental Management*. 71,95–122.
- [144]. Orish E.O., Jason, L.B., Sabina, S., &Zelikoff, J.T. (2014).Metal Pollution in Nigeria: A Biomonitoring Update. *Journal of Health & Pollution*. (4) 6.
- [145]. Yakubu, M.B. (2007).Biological approach to oil spills remediation in the soil.*African Journal of Biotechnology*6 (24), 2735-2739.
- [146]. Abdulsalam, S.,Adefila, S.S., Bugaje, I.M, &Ibrahim, S.(2012).Bioremediation of Soil Contaminated With Used Motor Oil in a Closed System. *Journal of Bioremediation and biodegradation*. (3) 12.
- [147]. Ameh, A.O., Mohammed-Dabo, I. A., Ibrahim, S., &Ameh, J. B.(2013). Earthworm-assisted bioremediation of petroleum hydrocarbon contaminated soil from mechanic workshop. *African Journal of Environmental Science and Technology*.7(6), 531-539.
- [148]. Stephen, E., Okwute, L.O., &Okai, A.I. (2015).Bioremediation of mechanic workshop polluted soil amended with poultry litter. *Biosciences Research in Today's World*.(1)1, 77-83.
- [149]. Adams, G.O., Tawari-Fufeyin, P., &Ehinomen, I. (2014).Laboratory Scale Bioremediation of Soils from Automobile Mechanic Workshops Using Cow Dung.*Journal of Applied & Environmental Microbiology*.(2) 4, 128-134.
- [150]. Jaboro, A.G., Akortha, E.E., &Obayagbona, O.N. (2013). Susceptibility to heavy metals and hydrocarbonlastic attributes of soil microbiota. *International Journal of Agricultural Bioscience*.2(5), 206-212.
- [151]. Umanu, G., Akpe, A.R., &Omoikhudu, A. R. (2013).Oil Degradation Assessment Of Bacteria Isolated From Used Motor Oil Contaminated Soils In Ota, Nigeria. *International Journal of advanced Biological Research*. 3(4) 506-513.
- [152]. Onuoha, S.C., Olugbue, V.U., Uraku, J.A., &Uchendu, D.O. (2011). Biodegradation potentials of hydrocarbon degraders from wastelubricating oil-spilled soils in Ebonyi State, Nigeria. *International Journal of Agriculture and bioscience*.13, 586–590.
- [153]. Khan, A.J., &Kumari, A., (2011). In Vitro Evaluation Of Oil Degradation Potential Of Bacillus subtilis. *International Journal of Plant, Animal and Environmental Sciences*.(1) 3.
- [154]. Balogun S.A., Shofola T.C., Okedeji, A.O., &Ayangbenro, A.S. (2015). Screening of hydrocarbonoclastic bacteria using redox indicator 2, 6-dichlorophenol indophenols.*Global NEST Journal*. 17(3), 565-573.
- [155]. Obayagbona, N.O., &Enabulele, I.O. (2013). Biodegradation Potentials of Automobile Workshop Soil Mycoflora on Flow Station Petroleum Sludge With An Extra Carbon Source.*Journal of Microbiology, Biotechnology and Food Sciences*. 3 (1) 19-25.
- [156]. Umanu, G., &Dodo, D.S(2013). "Assessment of Oil-Eating Fungi Isolated from Spent Engine Oil Polluted Soil Environments". *Pacific Journal of Science and Technology*. 14(2), 609-616.
- [157]. Ekundayo, O. F., Olukunle, O.F., &Ekundayo, E.A. (2012). Biodegradation of Bonnylight crude oil by locally isolated fungi from oil contaminated soils in Akure, Ondo state.*Malaysian Journal of Microbiology*. 8(1), 42-46.
- [158]. Emem, G.A., Megbelayin, E.O., &Akpan, S.I (2015).Awareness and use of protective eye devices among auto mechanic technicians and auto spare parts traders in Uyo, Nigeria. *International Journal of Medical Science and Public Health*. (4) 9, 1227-1230.
- [159]. Monney, I., Bismark, D.A., Owusu-Mensah, I., &Kuffour, R.A. (2014). Occupational health and safety practices among vehicle repair artisans in an urban area in Ghana.*Journal of Environmental and Occupational Science*.3(3).
- [160]. Srinivasan, P., &Palanichamy, P. (2010).Applications of topology in automobile engineering. *Journal of Experimental Sciences*.(1)1, 21-24.
- [161]. Olaitan, O.O. &Ikeh, J.O. (2015).Employability and Technical Skill Required to Establish a Small Scale Automobile Workshop. *Journal of Education and Practice*.(6)13.
- [162]. Nwachukwu, M.A, Umunna, N.A, Ntesat, B., &Umunna, C.P. (2014). Concept and Design of Environmentally Friendly Automobile Mechanic Village. *Journal of Civil Environmental Engineering*. 4(136). doi:10.4172/2165-784X.1000136
- [163]. Debadutta, K.P. (2013).Efficiency, factor intensity and return to scale in Indian automobile workshops. *Middle East Journal of Management*. 1(1).
- [164]. Norton, P.D. (2008). Auto Mechanics: Technology and Expertise in Twentieth-Century America. *Business History Review*.(82), 2; 395-399.
- [165]. Kersten, A.E., (2008).Auto Mechanics: Technology and Expertise in Twentieth-Century America. *The Journal of American History*. (95)1, 232-235.
- [166]. Fapetu, O.P., &Akinola, A.O. (2008).Optimizing Auto-Repair Practice: Akure Metropolis as Case Study. *AU JT*.11(4): 232-238.
- [167]. Barber, J., (2003). The Informally trained Mechanic: skill acquisition in the workplace.*Journal of Vocational education and Training*, (55)2.
- [168]. Howell, L.J., & Hsu, J.C. (2002). Globalization within the auto industry. *Research Technology Management*. (45) 4, 43-48.
- [169]. Borg, K.L. (2008).Auto Mechanics: Technology and Expertise in Twentieth-Century America.*Technology and Culture*. Baltimore: Johns Hopkins University Press, Vol 49.
- [170]. Joao,P.Silva. (1995). Trends in the Development of the Automobile Distribution and repair sector in Portugal.*Working paper presentation at 20th Conference Anual da EIBA, Varsovia, Dezembro de 1994. ESUDOS DE GESTAO-INVERNO-1995-39.*

Nkwoada A.U | alisa C.O "Pollution In Nigerian Auto-Mechanic Villages: A Review." *IOSR Journal of Environmental Science, Toxicology and Food Technology (IOSR-JESTFT)* 12.7 (2018): 43-54.